









spare parts list 2020








description	item number	drawing	delivery time
closing spring L 25?@ss	e2 dw 700 27210225	Marathon 100; 200	a
closing spring L 27?@ss	e2 dw 800 27210230		a
closing spring L 29?@ss	e2 dw 900 27210235		a
closing spring L 31?@ss	e2 dw 1000 27210240		a
closing spring L 33?@ss	e2 dw 1100 27210245		a
closing spring L 35?@ss	e2 dw 1200 27210250		a
closing spring L 37?@ss	e2 dw 1300 27210255		a
closing spring L 39?@ss	e2 dw 1400 27210260		a
coupler steel rope for side 2 (long rope) m2	dw 700 27410985	Marathon 200 	a
coupler steel rope for side 2 (long rope) m2	dw 800 27410990		a
coupler steel rope for side 2 (long rope) m2	dw 900 27410995		a
coupler steel rope for side 2 (long rope) m2	dw1000 27411000		a
coupler steel rope for side 2 (long rope) m2	dw 700 27211465	Marathon 100 	a
coupler steel rope for side 2 (long rope) m2	dw 800 27211470		a
coupler steel rope for side 2 (long rope) m2	dw 900 27211475		a
coupler steel rope for side 2 (long rope) m2	dw 1000 27211480		a
coupler steel rope (short) door panel 2 e2 dw 700 27100145 door panel 2 m4 dw 1400 door panel 2+3 m6 dw 2100		Marathon 100; 200 	a
coupler steel rope (short) door panel 2 e2 dw 800 27100150 door panel 2 m4 dw 1600 door panel 2+3 e3 dw 1200 door panel 2+3 m6 dw 2400			a
coupler steel rope (short) door panel 2 e2 dw 900 27100155 door panel 2 m4 dw 1800 door panel 2+3 m6 dw 2700			a
coupler steel rope (short) door panel 2 e2 dw 1000 27100160 door panel 2 m4 dw 2000 door panel 2+3 e3 dw 1500 door panel 2+3 m6 dw 3000			a
cord of closing weight, coil 100m (braided string up to 200kg)	27120049		a
deflection pulley for ropes + lens head screw with hexagon socket M8x20 and nut	27100117		a



<p>idle- and supporting pulley, complete for sliding carriage 1 (typ Marathon 200) silver axis with internal thread, measure a=4,5mm excess length</p>	27100057		a
<p>idle- and supporting pulley, complete for sliding carriage 2 (typ Marathon 200) silver axis, with bore hole 8 mm</p>	27100056		a
<p>idle- and supporting pulley, complete for sliding carriage 1 and 2 (typ Marathon 100 and cabin door) yellow axis with internal thread, measure a=6,0mm excess length</p>	27100055		a
<p>idle- and supporting pulley, complete for sliding carriage 1 and 3 (pulley and axis mounted)</p> <p>m4 dw 800 - 1100 e3 dw 600 - 900 m6 dw 1200 - 1700</p>	27420400		b
<p>idle- and supporting pulley, complete for sliding carriage 2 (pulley + distance loose)</p> <p>m4 dw 800 - 1100 e3 dw 600 - 900 m6 dw 1200 - 1700</p>	27420401 (27420405+ 27420420)		b
<p>idle- and supporting pulley HIGH Performance, complete for sliding carriage 1 and 3 (consists of pulley 27100195 + axle journal 27100067) e2 dw 700-1400 m2 dw 700-1400 m4 dw 1400-2800 e3 dw 1100-2100 m6 dw 2100-4200</p>	27100197		a
<p>idle- and supporting pulley HIGH Performance, complete for sliding carriage 2 (consists of pulley 27100195 + axle journal 27100066) e2 dw 700-1400 m4 dw 1400-2800 e3 dw 1100-2100 m6 dw 2100-4200</p>	27100198		a
<p>idle- and supporting pulley complete fire protection EN81-58 sliding carriage 1 and 3 (pulley and axis mounted) ø 38 mm m4 dw 800-1100 e3 dw 600-900 m6 dw 1200-1700</p>	27120726		b





<p>idle- and supporting pulley complete fire protection EN81-58 sliding carriage 2 (pulley + distance loose) ø 38 mm e3 dw 600-900 m6 dw 1200-1700</p>	<p>27120727 + 27420420</p>		<p>b</p>
<p>idle- and supporting pulley complete fire protection EN81-58 sliding carriage 1 and 3 threaded M8 (pulley + axis mounted) ø57 mm red role (typ Marathon 200) e2 dw 700-1400 m2 dw 700-1400 m4 dw 1400-2800 e3 dw 1100-2100 m6 dw 2100-4200</p>	<p>27120721</p>		<p>a</p>
<p>idle- and supporting pulley complete fire protection EN81-58 sliding carriage 2 threaded M8 (pulley + axis mounted) ø57 mm red role (typ Marathon 200) e2 dw 700-1400 m4 dw 1400-2800 e3 dw 1100-2100 m6 dw 2100-4200</p>	<p>27120722</p>		<p>a</p>
<p>rubber buffer 15x15 for ingate door open/door close</p>	<p>27120006</p>		<p>a</p>
<p>rubber buffer 15x5 M6 for ingate door open/door close</p>	<p>28220055</p>		<p>a</p>


control LDO DC 2.0 / 160 without main transformer		12370139		a
gear motor for LDO DC 2.0 /160, 24V-motor, pinion left (for doors up to 160kg)	right opening (e2) / left driving (m2/4) door panel	12370151		a
gear motor for LDO DC 2.0 /160, 24V-Motor, pinion right (for doors up to 160kg)	left opening (e2) / right driving (m2/4) door panel	12370153		a
control LDO AC3.0/200 complete, consisting of: control LDO AC 3.0/200 (new device), gear motor with incremental encoder, motor ground plate, timing belt, screw kit	right opening (2pso / e2), left driving (co2 / m2, co4 / m4), left opening (3pso / e3), right driving (co6 / m6)	12370007		a
control LDO AC3.0/200 complete, consisting of: control LDO AC 3.0/200 (new device), gear motor with incremental encoder, motor ground plate, timing belt, screw kit	left opening (2pso / e2), right driving (co2 / m2, co4 / m4), right opening (3pso / e3), left driving (co6 / m6)	12370008		a
control LDO AC3.0/420 complete, consisting of: control LDO AC 3.0/200 (new device), gear motor with incremental encoder, motor ground plate, timing belt, screw kit	left driving (co4 / m4), left opening (3pso / e3), right driving (co6 / m6)	12370122		a
control LDO AC3.0/420 complete, consisting of: control LDO AC 3.0/200 (new device), gear motor with incremental encoder, motor ground plate, timing belt, screw kit	right driving (co4 / m4), right opening (3pso / e3), left driving (co6 / m6)	12370123		a
control LDO AC 3.0/200 (new device) without gear motor, without incemental encoder	control for move measure until 200kg	12370037		a

control LDO AC 3.0/420 (new device) without gear motor, without incremental encoder	control for move measure from 200 to 420 kg	12370039		a
complete gear motor LDO AC 3.0 / 420 of gear motor with gear drive and encoder mounted	right opening (2pso / e2) / left driving (co4 / m4) door panel right driving (co6/m6) door panel	27120757		
complete gear motor LDO AC 3.0 / 420 of gear motor with gear drive and encoder mounted	left opening (2pso / e2) door right driving left driving (co4 / m4), left driving (co6 / m6)	27120756		
incremental encoder consists of encoder and magnet holder with magnet	for LDO AC 3.0	12370027		
control complete LDO AC 4.0 comprising: control LDO AC 4.0, brushless + gearless motor	left opening and right opening door, for a left and right driving door panel	12370148		a
control LDO DC 4.0 / 200		12370138		a
brushless gear motor LDO AC 4.0		12370158		
Wlan Dongle LDO AC 4.0		12370134		a

brace unit (complete) with mechanical interlock for cabin door	left opening door (2ps0 / e2 and 3ps0/ e3)	27129060	drawed for a left opening door 	
brace unit (complete) with mechanical interlock for cabin door	right opening door (2ps0 / e2 and 3ps0/ e3)	27129061		
brace unit (complete) with mechanical interlock for cabin door	left opening door (co2 / m2, co4 / m4 and co6 / m6)			
brace unit (complete) with mechanical interlock for cabin door	right opening door (co2 / m2, co4 / m4 and co6 / m6)			
coupler for brace (complete) consists of bed plate, skate compensator above and below, one pair of couplers for braces, deflection pulley, spring and 2x screw M8x12	for a left opening door	27330090	drawed for a right opening door 	a
coupler for brace (complete) consists of bed plate, skate compensator above and below, one pair of couplers for braces, deflection pulley, spring and 2x screw M8x12	for a right opening door	27330091		a
deflection hook for an unlocking sword (3 equalization supplements are necessary)	for left opening	27330086	for a right opening door 	a
deflection hook for an unlocking sword (3 equalization supplements are necessary)	for right opening	27330087		a
deflection hook for an unlocking sword (3 equalization supplements are necessary) left opening e3 dw 600 - TB 800 m6 dw 1200 - TB 1700		27330106		a
deflection hook for an unlocking sword (3 equalization supplements are necessary) right opening e3 dw 600 - TB 800 m6 dw 1200 - TB 1700		27330107		a

deflection hook for an unlocking sword (3 equalization supplements are necessary) left opening e3 dw 900-TB 2100 m6 dw 1800-TB 4200	27330101		a
deflection hook for an unlocking sword (3 equalization supplements are necessary) right opening e3 dw 900-TB 2100 m6 dw 1800-TB 4201	27330102		a
equalization supplements for deflection hook (standard 3 pieces for one deflection hook)	27330055		a
deflection pulley from skate compensator	27330025		a
spring for a coupler for brace (bracing)	27120337		a
unlocking seesaw unity complete e2/e3 consists of bed plate, unlocking seesaw with a bridge AZ 13/21, 2x unlocking roll, 2+1 x O-ring, tab washer and 2x screws M8x10 left opening	27240135		a
unlocking seesaw unity complete e2/e3 consists of bed plate, unlocking seesaw with a bridge AZ 13/21, 2x unlocking roll, 2+1 x O-ring, tab washer and 2x screws M8x10 right opening	27240136		a
unlocking seesaw unity complete e2/e3 for header cover consists of bed plate, unlocking seesaw with a bridge AZ 13/21, 2x unlocking roll, 2+1 x O-ring, tab washer and 2x screws M8x10 left opening	27240137		a
unlocking seesaw unity complete e2/e3 for header cover consists of bed plate, unlocking seesaw with a bridge AZ 13/21, 2x unlocking roll, 2+1 x O-ring, tab washer and 2x screws M8x10 right opening	27240138		a

unlocking seesaw unity complete m2/m4/m6 consists of bed plate, unlocking seesaw with a bridge AZ13/21, 2x unlocking roll, 2+1 x O-ring, tab washer and 2x screws M8x10	left driving	27240140		a
unlocking seesaw unity complete m2/m4/m6 consists of bed plate, unlocking seesaw with a bridge AZ13/21, 2x unlocking roll, 2+1 x O-ring, tab washer and 2x screws M8x10	right driving	27240141		a
unlocking seesaw unity complete for header cover m2/m4/m6 consists of bed plate, unlocking seesaw with a bridge AZ13/21, 2x unlocking roll, 2+1 x O-Ring, tab washer and 2x screws M8x10	left driving	27240142		a
unlocking seesaw unity complete for header cover m2/m4/m6 consists of bed plate, unlocking seesaw with a bridge AZ13/21, 2x unlocking roll, 2+1 x O-ring, tab washer and 2x screws M8x10	right driving	27240143		a
tab washer 1 for bed plate unlocking seesaw unity		27240030		a
unlocking roll since 10/2002		27240155		a
O-ring for roll of release	Ø 43mm	27120029		a
O-ring for seesaw of release	Ø 14mm	27120011		a
securing ring A10 DIN 471		50110835		a
shims B=1mm for release roll since 10/2002	3 pieces for one roll	50105002		a

shims B=0,1mm for release roll since 10/2002	2 pieces for one roll	50105003		a
interlock block	left opening	27440046		a
interlock block	right opening	27440047		a
tab washer 3 for locking bedstop		27440050		a
Switch with bridge AZ 13 D/21		27120003 27120002		a
door panel guidance below (butterfly) High Performance (comfort) design, consisting of door panel guidance, comfort slide ring, O-ring and screws M8x12		27113480		a
door panel guide below HIGH Performance (comfort design)		27120239		a
bedstop buffer for door panel (edge buffer at the door panel)		27120027		a

delivery times

a --> goods in stock, after receipt of order 2 working days with standard shipping

b --> delivery time 7 working days

Packaging for individual dimensions

packaging sizes	Packaging	price
A	carton 1	11,30 €
B	carton 2	15,10 €
C	box/ palette	96€/45€

discounts

from a net order value of 400,- € we grant 4% discount

from a net order value of 1.000,- € we grant 8% discount

The minimum order value is 100,- €.

For order values of less than 100,- € we will calculate processing fees of 55,- €.

Elevator Trading GmbH
Kömmplitzer Straße 5
D-04519 Rackwitz
Telefon: +49 (0) 34294 17 97 - 00
Telefax: +49 (0) 34294 17 97 - 33

spare parts for elevator doors type Marathon

All prices are without transport and packaging. (EXW)

Costs for transport and packaging will be calculated for the individual orders.

The delivery time of spare parts in stock is about 4 working days.

Shorter delivery times are possible (minimum 24 hours) with an order until 12.00am and an additional charge.

In the listing at the end of the catalogue you'll find other delivery times.

For an order of spare parts we need the following information:

- type of the door: sheet metal or glass? (Marathon200, according to which standard?)
- door type / how many door panels, how does the door open? (e2, 2pso / m2, co2 / m4, co4 / e3, 3pso / m)
- direction of the driving door panel
- number of the elevator system (or order number)

to ensure that we'll deliver the right spare parts.